EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	37	(RTS or "request to send") same (CTS or "clear to send") same (BS or "base station" or BTS or "base transceiver staion" or BSC or "base station controller") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:41
L4	23	L3 and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:41
L5	7	L4 and (power$4 with level $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 20:41
L6	1647	370/230.ccls. and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:09
L7	2509	370/338.ccls. and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:09
L8	267	370/346.ccls. and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:09
L9	1209	370/445.ccls. and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:09

L10	374	375/132.ccls. and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:09
L11	3	6 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:10
L12	23	7 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:10
L14	3	8 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:10
L15	10	9 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:11
L16	5	10 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:11
L17	1	10 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2) and (power$4 with level$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:12
L18	4	9 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2) and (power$4 with level$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:12

L19	2	8 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2) and (power$4 with level$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:13
L20	12	7 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2) and (power$4 with level$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:13
L21	0	6 and (RTS or "request to send") same (CTS or "clear to send") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2) and (power$4 with level$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 21:13
S5	26	(data adj4 length) same (transmi$4 adj5 power$2 adj5 level$4) same (threshold$2 or parameter$2 or attribute$2 or tag$2) and measur$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 06:32
S6	15	S5 and (@ad< "20030326" @rlad< "20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 06:33
S8	1	((data adj4 length) and (transmi$4 adj5 power$2 adj5 level$4) same (threshold$2 or parameter$2 or attribute$2 or tag$2) and measur$4).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 06:40
S13	2592	(control$4 or administ$5) with (designat$4 or assign$4 or allocat$4) with (receiv$4 adj4 (address$2 or identifer $2 or ID$2)) with (transmi$4 or receiv$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 06:51
S15	1833	S13 and (@ad< "20030326" @rlad< "20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 06:53

S16	97	(control$4 or administ$5) near3 (designat$4 or assign $4 or allocat$4) near3 (receiv $4 adj4 (address$2 or identifer$2 or ID$2)) near3 (transmi$4 or receiv$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 06:53
S17	66	S16 and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 06:54
S18	6	(control$4 or administ$5) near3 (designat$4 or assign $4 or allocat$4) near3 (receiv $4 adj4 (address$2 or identifer$2 or ID$2)) near3 (transmi$4 or receiv$4) same (permi$4 or grant$4 or allow $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 08:23
S19	2	S18 and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 08:24
S20	103	(control$4 or administ$5) with (designat$4 or assign$4 or allocat$4) with (receiv$4 adj4 (address$2 or identifer $2 or ID$2)) with (transmi$4 or receiv$4) same (permi$4 or grant$4 or allow$4) and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 08:25
S22	630	(((control$4 or administ$5) and (designat$4 or assign$4 or allocat$4) and (receiv$4 adj2 (address$2 or identifer $2 or ID$2)) and (transmi$4 or receiv$4) and (permi$4 or grant$4 or allow$4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:27
S23	34	(((control$4 or administ$5) same (designat$4 or assign $4 or allocat$4) same (receiv $4 adj2 (address$2 or identifer$2 or ID$2)) same (transmi$4 or receiv$4) same (permi$4 or grant$4 or allow $4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:28

S24	609	((control$4 or administ$5) same (designat$4 or assign $4 or allocat$4) same (receiv $4 adj2 (address$2 or identifer$2 or ID$2)) same (transmi$4 or receiv$4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:31
S25	14	(administ$5 same (designat $4 or assign$4 or allocat$4) same (receiv$4 adj2 (address $2 or identifer$2 or ID$2)) same (transmi$4 or receiv $4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:31
S26	14	(administ$5 same (designat $4 or assign$4 or allocat$4) same ((receiv$4 or reception) adj2 (address$2 or identifer$2 or ID$2)) same (transmi$4 or receiv$4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:32
S27	15	((control$4 or administ$5) same (designat$4 or assign $4 or allocat$4) same (reception adj2 (address$2 or identifer$2 or ID$2)) same (transmi$4 or receiv$4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:33
S28	0	(administ$5 same (designat $4 or assign$4 or allocat$4) same (reception adj2 (address$2 or identifer$2 or ID$2)) same (transmi$4 or receiv$4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:44
S29	14	(administ$5 same (designat $4 or assign$4 or allocat$4) same (receiv$4 adj2 (address $2 or identifer$2 or ID$2)) same (transmi$4 or receiv $4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:44
S30	20	(administ$6 same (designat $4 or assign$4 or allocat$4) same (receiv$4 adj2 (address $2 or identifer$2 or ID$2)) same (transmi$4 or receiv $4)).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 08:49
S31	2	((data adj4 length) and (transmi$4 adj5 power$2 adj5 level$4) and (threshold $2 or parameter$2 or attribute$2 or tag$2) and measur$4).clm.	US-PGPUB; USPAT	OR	ON	2008/12/02 09:09
S32	0	(data adj4 length) same (transmi$4 adj5 power$2 adj5 level$4) same (threshold $2 or parameter$2 or attribute$2 or tag$2) same measur$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 09:13

S33	32	(data adj4 length) same (transmi$4 adj5 power$2 adj5 level$4) and (threshold $2 or parameter$2 or attribute$2 or tag$2) and measur$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 09:13
S35	427	(data adj4 length) and (transmi$4 adj5 power$2 adj5 level$4) and (threshold $2 or parameter$2 or attribute$2 or tag$2) and measur$4 and compar$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 09:15
S36	17	S33 and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 09:16
S39	1	compar$4 same (data adj4 length) same (transmi$4 adj5 power$2 adj5 level$4) same (threshold$2 or parameter$2 or attribute$2 or tag$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 09:36
S40	147	S35 and (compar$4 same measur$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 09:51
S41	119	S40 and (@ad<"20030326" @rlad<"20030326")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 09:51
S42	0	S39 and administ$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 10:59
S43	1	S39 and administ$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 11:00
S45	24647	(RTS or "request to send") same (CTS or "clear to send") same (BS or "base station" or BTS or "base transceiver staion" or BSC or "base station controller")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 13:12

| S46 | 37 | (RTS or "request to send") same (CTS or "clear to send") same (BS or "base station" or BTS or "base transceiver staion" or BSC or "base station controller") and (data adj3 length) and (threshold$2 or parameter$2 or tag$4 or attribute$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/02 13:13 |
| S47 | 23 | S46 and (@ad<"20030326" @rlad<"20030326") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/02 13:14 |

12/2/08 9:14:22 PM
C:\ Documents and Settings\ HNguyen18\ My Documents\ EAST\ workspaces
\ 10549591interfsearch.wsp